



National Accreditation Board for Testing and Calibration Laboratories

SCOPE OF ACCREDITATION

Laboratory Name :	HAMMOND POWER SOLUTIONS PRIVATE LIMITED, PLOT NO. 6A, PHASE 1, I.D.A, HYDERABAD, SANGAREDDY, TELANGANA, INDIA		
Accreditation Standard	ISO/IEC 17025:2017		
Certificate Number	TC-12798	Page No	1 of 6
Validity	26/12/2023 to 25/12/2025	Last Amended on	-

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
Permanent Facility				
1	ELECTRICAL- INDUCTORS & TRANSFORMERS	Oil filled Transformers (Single/ Three Phase) from 25 kVA to 55MVA, 220kV Class	Induced AC Withstand Voltage Test (IVPD)	IEC 60076 - 3
2	ELECTRICAL- INDUCTORS & TRANSFORMERS	Oil filled Transformers (Single/ Three Phase) from 25 kVA to 55MVA, 220kV Class	Insulation Resistance	IEC 60076 (Part 1/Clause.11.1.4.h)
3	ELECTRICAL- INDUCTORS & TRANSFORMERS	Oil filled Transformers (Single/ Three Phase) from 25 kVA to 55MVA, 220kV Class	Magnetic Circuit (Isolation Test)	CBIP - 317 Manual on Transformers
4	ELECTRICAL- INDUCTORS & TRANSFORMERS	Dry Type Transformers (Single / Three Phase) from 10 kVA to 5MVA, 33kV Class	Harmonics of No Load Current	IS 2026 (Part 1 /Clause 10.6)
5	ELECTRICAL- INDUCTORS & TRANSFORMERS	Dry Type Transformers (Single / Three Phase) from 10 kVA to 5MVA, 33kV Class	Harmonics of No-Load Current	IEC 60076 (Part 1/Clause 3.13.2)
6	ELECTRICAL- INDUCTORS & TRANSFORMERS	Dry Type Transformers (Single / Three Phase) from 10 kVA to 5MVA, 33kV Class	Load loss	IEC 60076 (Part 11/Clause 14.2.3)
7	ELECTRICAL- INDUCTORS & TRANSFORMERS	Dry Type Transformers (Single / Three Phase) from 10 kVA to 5MVA, 33kV Class	Load loss	IS 2026 (Part 11/Clause 14.2.3)
8	ELECTRICAL- INDUCTORS & TRANSFORMERS	Dry Type Transformers (Single / Three Phase) from 10 kVA to 5MVA, 33kV Class	No Load Loss	IEC 60076 (Part 11/Clause no 14.2.4)
9	ELECTRICAL- INDUCTORS & TRANSFORMERS	Dry Type Transformers (Single / Three Phase) from 10 kVA to 5MVA, 33kV Class	No Load Loss	IS 2026(Part 11/Clause 14.2.4)
10	ELECTRICAL- INDUCTORS & TRANSFORMERS	Dry Type Transformers (Single / Three Phase) from 10 kVA to 5MVA, 33kV Class	Partial Discharge	IS 2026 (Part 11/Clause 14.2.7)
11	ELECTRICAL- INDUCTORS & TRANSFORMERS	Dry Type Transformers (Single / Three Phase) from 10 kVA to 5MVA, 33kV Class	Partial Discharge Test	IEC 60076 (Part 11/Clause 14.2.7)
12	ELECTRICAL- INDUCTORS & TRANSFORMERS	Dry Type Transformers (Single / Three Phase) from 10 kVA to 5MVA, 33kV Class	Verification of Vector Group and Polarity	IS 2026 (Part 11 /Clause 14.2.2)
13	ELECTRICAL- INDUCTORS & TRANSFORMERS	Dry Type Transformers (Single / Three Phase) from 10 kVA to 5MVA, 33kV Class	Winding Resistance	IEC 60076 (Part 11/Clause 14.2.1)
14	ELECTRICAL- INDUCTORS & TRANSFORMERS	Dry Type Transformers (Single / Three Phase) from 10 kVA to 5MVA, 33kV Class	Winding Resistance	IS 2026 (Part 11/Clause 14.2.1)
15	ELECTRICAL- INDUCTORS & TRANSFORMERS	Dry Type Transformers (Single / Three Phase) from 10 kVA to 5MVA, 33kV Class	Voltage Ratio	IEC 60076 (Part 11/Clause 14.2.2)
16	ELECTRICAL- INDUCTORS & TRANSFORMERS	Dry Type Transformers (Single / Three Phase) from 10 kVA to 5MVA, 33kV Class	Induced AC Withstand Voltage Test (Excluding Partial Discharge)	IEC 60076 - 11(Clause no 14.2.6)
17	ELECTRICAL- INDUCTORS & TRANSFORMERS	Dry Type Transformers (Single / Three Phase) from 10 kVA to 5MVA, 33kV Class	Induced AC Withstand Voltage Test (IWW)	IS 2026 -11(Clause no 14.2.6)
18	ELECTRICAL- INDUCTORS & TRANSFORMERS	Dry Type Transformers (Single / Three Phase) from 10 kVA to 5MVA, 33kV Class	Insulation Resistance	IEC 60076 (Part 1/Clause 11.1.4.h)



National Accreditation Board for Testing and Calibration Laboratories

SCOPE OF ACCREDITATION

Laboratory Name :	HAMMOND POWER SOLUTIONS PRIVATE LIMITED, PLOT NO. 6A, PHASE 1, I.D.A, HYDERABAD, SANGAREDDY, TELANGANA, INDIA		
Accreditation Standard	ISO/IEC 17025:2017		
Certificate Number	TC-12798	Page No	2 of 6
Validity	26/12/2023 to 25/12/2025	Last Amended on	-

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
19	ELECTRICAL- INDUCTORS & TRANSFORMERS	Dry Type Transformers (Single / Three Phase) from 10 kVA to 5MVA, 33kV Class	Insulation Resistance	IS 2026 (Part 1/Clause 10.1.3.j)
20	ELECTRICAL- INDUCTORS & TRANSFORMERS	Dry Type Transformers (Single / Three Phase) from 10 kVA to 5MVA, 33kV Class	Magnetic Balance Test on 3Phase Transformer	CBIP - 317 Manual on Transformers (Section BB, Clause no 3.17)
21	ELECTRICAL- INDUCTORS & TRANSFORMERS	Dry Type Transformers (Single / Three Phase) from 10 kVA to 5MVA, 33kV Class	Magnetic Circuit (Isolation Test)	CBIP 317 Manual on Transformers (Clause No. 3.15 of Section BB)
22	ELECTRICAL- INDUCTORS & TRANSFORMERS	Dry Type Transformers (Single / Three Phase) from 10 kVA to 5MVA, 33kV Class	Separate Source AC Withstand Voltage Test	IEC 60076 - 11(Clause no 14.2.5)
23	ELECTRICAL- INDUCTORS & TRANSFORMERS	Dry Type Transformers (Single / Three Phase) from 10 kVA to 5MVA, 33kV Class	Separate Source AC Withstand Voltage Test	IS 2026 (Part 11/ Clause 14.2.5)
24	ELECTRICAL- INDUCTORS & TRANSFORMERS	Dry Type Transformers (Single / Three Phase) from 10 kVA to 5MVA, 33kV Class	Temperature Rise	IEC 60076 (Part 11/Clause 14.3.2)
25	ELECTRICAL- INDUCTORS & TRANSFORMERS	Dry Type Transformers (Single / Three Phase) from 10 kVA to 5MVA, 33kV Class	Temperature Rise	IS 2026 (Part 11/ Clause 14.3.2)
26	ELECTRICAL- INDUCTORS & TRANSFORMERS	Dry Type Transformers (Single / Three Phase) from 10 kVA to 5MVA, 33kV Class	Short Circuit Impedance	IEC 60076 (Part 11/Clause 14.2.3)
27	ELECTRICAL- INDUCTORS & TRANSFORMERS	Dry Type Transformers (Single / Three Phase) from 10 kVA to 5MVA, 33kV Class	Voltage Ratio	IS 2026 (Part 11 /Clause 14.2.2)
28	ELECTRICAL- INDUCTORS & TRANSFORMERS	Dry Type Transformers (Single / Three Phase) from 10 kVA to 5MVA, 33kV Class	Capacitance and dissipation Factor (Tan Delta) of the winding.	IEC 60076 (Part 1/Clause 11.1.4c & 11.1.4d)
29	ELECTRICAL- INDUCTORS & TRANSFORMERS	Dry Type Transformers (Single / Three Phase) from 10 kVA to 5MVA, 33kV Class	Capacitance and dissipation Factor (Tan Delta) of the winding.	IS 2026 (Part 1/Clause 10.1.3b)
30	ELECTRICAL- INDUCTORS & TRANSFORMERS	Dry Type Transformers (Single / Three Phase) from 10 kVA to 5MVA, 33kV Class	Magnetizing Current in No load loss	IEC 60076 (Part 11/Clause no 14.2.4)
31	ELECTRICAL- INDUCTORS & TRANSFORMERS	Dry Type Transformers (Single / Three Phase) from 10 kVA to 5MVA, 33kV Class	Magnetizing Current in No Load Loss	IS 2026(Part 11/Clause 14.2.4)
32	ELECTRICAL- INDUCTORS & TRANSFORMERS	Dry Type Transformers (Single / Three Phase) from 10 kVA to 5MVA, 33kV Class	Short Circuit Impedance	IS 2026 (Part 11/Clause 14.2.3)
33	ELECTRICAL- INDUCTORS & TRANSFORMERS	Dry Type Transformers (Single / Three Phase) from 10 kVA to 5MVA, 33kV Class	Verification of Vector Group and Polarity	IEC 60076 (Part 11/ Clause 14.2.2)
34	ELECTRICAL- INDUCTORS & TRANSFORMERS	Dry type Transformers from (25 kVA to 5 MVA, 33 kV Class)	Partial Discharge Measurement	IS 2026 (Part 11/Clause 14.2.7)
35	ELECTRICAL- INDUCTORS & TRANSFORMERS	Oil filled Transformers (Single / Three Phase) from (25 kVA to 55MVA, 220kV Class)	Separate Source AC Withstand Voltage Test	IS 2026 (Part 3/Clause 10)



National Accreditation Board for Testing and Calibration Laboratories

SCOPE OF ACCREDITATION

Laboratory Name :

HAMMOND POWER SOLUTIONS PRIVATE LIMITED, PLOT NO. 6A, PHASE 1, I.D.A, HYDERABAD, SANGAREDDY, TELANGANA, INDIA

Accreditation Standard

ISO/IEC 17025:2017

Certificate Number

TC-12798

Page No

3 of 6

Validity

26/12/2023 to 25/12/2025

Last Amended on

-

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
36	ELECTRICAL- INDUCTORS & TRANSFORMERS	Oil filled Transformers (Single / Three Phase) from (25 kVA to 55MVA, 220kV Class)	Voltage Ratio	IS 2026 (Part 1/Clause 10.3)
37	ELECTRICAL- INDUCTORS & TRANSFORMERS	Oil filled Transformers (Single / Three Phase) from (25 kVA to 55MVA, 220kV Class)	No Load Loss	IS 2026 (Part 1/Clause 10.5)
38	ELECTRICAL- INDUCTORS & TRANSFORMERS	Oil filled Transformers (Single / Three Phase) from (25 kVA to 55MVA, 220kV Class)	Winding Resistance	IS 2026 (Part 1/Clause 10.2)
39	ELECTRICAL- INDUCTORS & TRANSFORMERS	Oil filled Transformers (Single / Three Phase) from (25 kVA to 55MVA, 220kV Class)	Insulation Resistance	IS 2026 (Part 1/Clause 10.1.3.j)
40	ELECTRICAL- INDUCTORS & TRANSFORMERS	Oil filled Transformers (Single / Three Phase) from (25 kVA to 55MVA, 220kV Class)	Load loss	IS 2026 (Part 1/Clause 10.4)
41	ELECTRICAL- INDUCTORS & TRANSFORMERS	Oil filled Transformers (Single / Three Phase) from (25 kVA to 55MVA, 220kV Class)	Harmonics of No-Load Current	IS 2026 (Part 1/Clause 10.6)
42	ELECTRICAL- INDUCTORS & TRANSFORMERS	Oil filled Transformers (Single / Three Phase) from (25 kVA to 55MVA, 220kV Class)	Temperature Rise	IS 2026 (Part 2)
43	ELECTRICAL- INDUCTORS & TRANSFORMERS	Oil filled Transformers (Single / Three Phase) from (25 kVA to 55MVA, 220kV Class)	Capacitance and dissipation Factor (Tan Delta) of the Bushing.	IEC 60137(Part 1/ Clause 9.2)
44	ELECTRICAL- INDUCTORS & TRANSFORMERS	Oil filled Transformers (Single / Three Phase) from (25 kVA to 55MVA, 220kV Class)	Capacitance and dissipation Factor (Tan Delta) of the winding.	IS 2026 (Part 1/Clause no 10.1.3b)
45	ELECTRICAL- INDUCTORS & TRANSFORMERS	Oil filled Transformers (Single / Three Phase) from (25 kVA to 55MVA, 220kV Class)	Chopped wave lightning impulse test (LIC)	IEC60076 (Part 3/Clause 13.3)
46	ELECTRICAL- INDUCTORS & TRANSFORMERS	Oil filled Transformers (Single / Three Phase) from (25 kVA to 55MVA, 220kV Class)	Chopped wave lightning impulse test (LIC)	IS2026 (Part 3/ Clause13.3)
47	ELECTRICAL- INDUCTORS & TRANSFORMERS	Oil filled Transformers (Single / Three Phase) from (25 kVA to 55MVA, 220kV Class)	Full Wave Lightning Impulse test (LI)	IEC60076 (Part 3/Clause 13.2)
48	ELECTRICAL- INDUCTORS & TRANSFORMERS	Oil filled Transformers (Single / Three Phase) from (25 kVA to 55MVA, 220kV Class)	Induced AC Withstand Voltage Test with Partial Discharge measurement (IVPD)	IS 2026 (Part 3/Clause 11.3)
49	ELECTRICAL- INDUCTORS & TRANSFORMERS	Oil filled Transformers (Single / Three Phase) from (25 kVA to 55MVA, 220kV Class)	Induced AC Withstand Voltage Test (IVW)	IS 2026 (Part 3/Clause 11.1,11.2)
50	ELECTRICAL- INDUCTORS & TRANSFORMERS	Oil filled Transformers (Single / Three Phase) from (25 kVA to 55MVA, 220kV Class)	Lightning Impulse Voltage Withstand Test	IS 2026 (Part 3/Clause 13.2)
51	ELECTRICAL- INDUCTORS & TRANSFORMERS	Oil filled Transformers (Single / Three Phase) from (25 kVA to 55MVA, 220kV Class)	Magnetizing Current in No Load Loss	IEC 60076 (Part 1/Clause 11.5)
52	ELECTRICAL- INDUCTORS & TRANSFORMERS	Oil filled Transformers (Single / Three Phase) from (25 kVA to 55MVA, 220kV Class)	Magnetizing Current in No load loss	IS 2026 (Part 1/Clause 10.5)
53	ELECTRICAL- INDUCTORS & TRANSFORMERS	Oil filled Transformers (Single / Three Phase) from (25 kVA to 55MVA, 220kV Class)	Short Circuit Impedance	IEC 60076 (Part 1 /Clause 11.4)



National Accreditation Board for Testing and Calibration Laboratories

SCOPE OF ACCREDITATION

Laboratory Name :

HAMMOND POWER SOLUTIONS PRIVATE LIMITED, PLOT NO. 6A, PHASE 1, I.D.A, HYDERABAD, SANGAREDDY, TELANGANA, INDIA

Accreditation Standard

ISO/IEC 17025:2017

Certificate Number

TC-12798

Page No

4 of 6

Validity

26/12/2023 to 25/12/2025

Last Amended on

-

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
54	ELECTRICAL- INDUCTORS & TRANSFORMERS	Oil filled Transformers (Single / Three Phase) from 25 kVA to 10MVA, 33kV Class	Magnetic Balance Test on 3Phase Transformer	CBIP-317 (Section BB/Clause 3.17)
55	ELECTRICAL- INDUCTORS & TRANSFORMERS	Oil filled Transformers (Single / Three Phase) from 25 kVA to 10MVA, 33kV Class	Temperature Rise	IS 2026 (Part 2/ Clause 5)
56	ELECTRICAL- INDUCTORS & TRANSFORMERS	Oil filled Transformers (Single / Three Phase) from (25 kVA to 55MVA, 220kV Class)	Voltage Ratio	IEC 60076 (Part 1/ Clause 11.3)
57	ELECTRICAL- INDUCTORS & TRANSFORMERS	Oil filled Transformers (Single / Three Phase) from (25 kVA to 55MVA, 220kV Class)	Short Circuit impedance	IS 2026 (Part 1/Clause 10.4)
58	ELECTRICAL- INDUCTORS & TRANSFORMERS	Oil filled Transformers (single / Three Phase) from 25 kVA to 10MVA, 33kV Class	Induced AC Withstand Voltage Test with Partial Discharge measurement (IVPD)	IS 2026 (Part 3/Clause 11.3)
59	ELECTRICAL- INDUCTORS & TRANSFORMERS	Oil filled Transformers (Single / Three Phase) from 25 kVA to 10MVA, 33kV Class	Insulation Resistance	IS 2026 (Part 1/Clause 10.1.3.j)
60	ELECTRICAL- INDUCTORS & TRANSFORMERS	Oil filled Transformers (Single / Three Phase) from 25 kVA to 10MVA, 33kV Class	Load loss	IS 2026 (Part 1/Clause 10.4)
61	ELECTRICAL- INDUCTORS & TRANSFORMERS	Oil filled Transformers (Single / Three Phase) from 25 kVA to 10MVA, 33kV Class	Harmonics of No-Load Current	IS 2026 (Part 1/Clause 10.6)
62	ELECTRICAL- INDUCTORS & TRANSFORMERS	Oil filled Transformers (Single / Three Phase) from 25 kVA to 10MVA, 33kV Class	No Load Loss	IS 2026 (Part 1/Clause 10.5)
63	ELECTRICAL- INDUCTORS & TRANSFORMERS	Oil filled Transformers (Single / Three Phase) from 25 kVA to 10MVA, 33kV Class	Voltage Ratio	IS 2026 (Part 1 /Clause 10.3)
64	ELECTRICAL- INDUCTORS & TRANSFORMERS	Oil filled Transformers (Single / Three Phase) from 25 kVA to 10MVA, 33kV Class	Winding Resistance	IS 2026 (Part 1/Clause 10.2)
65	ELECTRICAL- INDUCTORS & TRANSFORMERS	Oil filled Transformers (single / Three Phase) from 25 kVA to 10MVA, 33kV Class	Induced AC Withstand Voltage Test (IVW)	IS 2026 (Part 3/Clause 11.1,11.2)
66	ELECTRICAL- INDUCTORS & TRANSFORMERS	Oil filled Transformers (Single / Three Phase) from 25 kVA to 10MVA, 33kV Class	Separate Source AC Withstand Voltage Test	IS 2026 (Part 3/Clause 10)
67	ELECTRICAL- INDUCTORS & TRANSFORMERS	Oil filled Transformers (Single / Three Phase) from 25 kVA to 10MVA, 33kV Class	Magnetic Circuit (Isolation Test)	CBIP-317 Manual on transformers (Clause No. 3.15 of Section BB)
68	ELECTRICAL- INDUCTORS & TRANSFORMERS	Oil filled Transformers (Single / Three Phase) from 25 kVA to 10MVA, 33kV Class	Magnetizing current in No Load Loss test	IS 2026 (Part 1/Clause 10.5): 201
69	ELECTRICAL- INDUCTORS & TRANSFORMERS	Oil filled Transformers (Single / Three Phase) from 25 kVA to 10MVA, 33kV Class	Short Circuit Impedance	IEC 60076 (Part 1/Clause.11.4)
70	ELECTRICAL- INDUCTORS & TRANSFORMERS	Oil filled Transformers (Single / Three Phase) from 25 kVA to 10MVA, 33kV Class	Short Circuit Impedance	IS 2026 (Part 1/Clause 10.4)
71	ELECTRICAL- INDUCTORS & TRANSFORMERS	Oil filled Transformers (Single / Three Phase) from 25 kVA to 10MVA, 33kV Class	Verification of Vector Group and Polarity	IS 2026 (Part 1/Clause 10.3)



National Accreditation Board for Testing and Calibration Laboratories

SCOPE OF ACCREDITATION

Laboratory Name :	HAMMOND POWER SOLUTIONS PRIVATE LIMITED, PLOT NO. 6A, PHASE 1, I.D.A, HYDERABAD, SANGAREDDY, TELANGANA, INDIA		
Accreditation Standard	ISO/IEC 17025:2017		
Certificate Number	TC-12798	Page No	5 of 6
Validity	26/12/2023 to 25/12/2025	Last Amended on	-

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
72	ELECTRICAL- INDUCTORS & TRANSFORMERS	Oil filled Transformers (Single/ Three Phase) from (25 kVA to 55MVA, 220kV Class)	Verification of Vector Group and Polarity	IS 2026 (Part 1/Clause 10.3)
73	ELECTRICAL- INDUCTORS & TRANSFORMERS	Oil filled Transformers (Single/ Three Phase) from 25 kVA to 10MVA, 33kV Class	Capacitance and dissipation Factor (Tan Delta) of the winding.	IEC 60076 (Part 1/Clause 11.1.4c & 11.1.4d)
74	ELECTRICAL- INDUCTORS & TRANSFORMERS	Oil filled Transformers (Single/ Three Phase) from 25 kVA to 10MVA, 33kV Class	Capacitance and dissipation Factor (Tan Delta) of the winding.	IS 2026 (Part 1/Clause 10.1.3b)
75	ELECTRICAL- INDUCTORS & TRANSFORMERS	Oil filled Transformers (Single/ Three Phase) from 25 kVA to 10MVA, 33kV Class	Harmonics of No-Load Current	IEC 60076 (Part 1/Clause 3.13.2)
76	ELECTRICAL- INDUCTORS & TRANSFORMERS	Oil filled Transformers (Single/ Three Phase) from 25 kVA to 10MVA, 33kV Class	Induced AC Withstand Voltage Test (IVPD)	IEC 60076 (Part 3/Clause 11.3)
77	ELECTRICAL- INDUCTORS & TRANSFORMERS	Oil filled Transformers (Single/ Three Phase) from 25 kVA to 10MVA, 33kV Class	Insulation Resistance	IEC 60076 (Part 1/Clause 11.1.4.h)
78	ELECTRICAL- INDUCTORS & TRANSFORMERS	Oil filled Transformers (Single/ Three Phase) from 25 kVA to 10MVA, 33kV Class	Load loss	IEC 60076 (Part 1/Clause.11.4)
79	ELECTRICAL- INDUCTORS & TRANSFORMERS	Oil filled Transformers (Single/ Three Phase) from 25 kVA to 10MVA, 33kV Class	No Load Loss	IEC 60076 (Part 1/ Clause11.5)
80	ELECTRICAL- INDUCTORS & TRANSFORMERS	Oil filled Transformers (Single/ Three Phase) from 25 kVA to 10MVA, 33kV Class	Verification of Vector Group and Polarity	IEC 60076 (Part 1/Clause 11.3)
81	ELECTRICAL- INDUCTORS & TRANSFORMERS	Oil filled Transformers (Single/ Three Phase) from 25 kVA to 10MVA, 33kV Class	Voltage Ratio	IEC 60076 (Part 1/Clause 11.3)
82	ELECTRICAL- INDUCTORS & TRANSFORMERS	Oil filled Transformers (Single/ Three Phase) from 25 kVA to 10MVA, 33kV Class	Winding Resistance	IEC 60076 (Part 1/Clause 11.2)
83	ELECTRICAL- INDUCTORS & TRANSFORMERS	Oil filled Transformers (Single/ Three Phase) from 25 kVA to 55MVA, 220kV Class	Capacitance and dissipation Factor (Tan Delta) of the winding.	IEC 60076 (Part 1/Clause 11.1.2.2. a, 11.1.2.2.c)
84	ELECTRICAL- INDUCTORS & TRANSFORMERS	Oil filled Transformers (Single/ Three Phase) from 25 kVA to 55MVA, 220kV Class	Harmonics of No-Load Current	IEC 60076 (Part 1/Clause 3.13.2)
85	ELECTRICAL- INDUCTORS & TRANSFORMERS	Oil filled Transformers (Single/ Three Phase) from 25 kVA to 55MVA, 220kV Class	Induced AC Withstand Voltage Test (IWW)	IEC 60076 (Part 3/ Clause 11.2)
86	ELECTRICAL- INDUCTORS & TRANSFORMERS	Oil filled Transformers (Single/ Three Phase) from 25 kVA to 55MVA, 220kV Class	Load loss	IEC 60076 (Part 1 /Clause 11.4)
87	ELECTRICAL- INDUCTORS & TRANSFORMERS	Oil filled Transformers (Single/ Three Phase) from 25 kVA to 55MVA, 220kV Class	Magnetic Balance Test on 3Phase Transformer	CBIP - 317 Manual on Transformers
88	ELECTRICAL- INDUCTORS & TRANSFORMERS	Oil filled Transformers (Single/ Three Phase) from 25 kVA to 55MVA, 220kV Class	No Load Loss	IEC 60076 (Part 1/Clause 11.5)
89	ELECTRICAL- INDUCTORS & TRANSFORMERS	Oil filled Transformers (Single/ Three Phase) from 25 kVA to 55MVA, 220kV Class	Separate Source AC Withstand Voltage Test	IEC 60076 (Part 3/Clause 10)



National Accreditation Board for Testing and Calibration Laboratories

SCOPE OF ACCREDITATION

Laboratory Name :

HAMMOND POWER SOLUTIONS PRIVATE LIMITED, PLOT NO. 6A, PHASE 1, I.D.A,
HYDERABAD, SANGAREDDY, TELANGANA, INDIA

Accreditation Standard

ISO/IEC 17025:2017

Certificate Number

TC-12798

Page No

6 of 6

Validity

26/12/2023 to 25/12/2025

Last Amended on

-

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
90	ELECTRICAL- INDUCTORS & TRANSFORMERS	Oil filled Transformers (Single/ Three Phase) from 25 kVA to 55MVA, 220kV Class	Verification of Vector Group and Polarity	IEC 60076 (Part 1/ Clause 11.3)
91	ELECTRICAL- INDUCTORS & TRANSFORMERS	Oil filled Transformers (Single/ Three Phase) from 25 kVA to 55MVA, 220kV Class	Winding Resistance	IEC 60076 (Part 1/Clause 11.2)
92	ELECTRICAL- INDUCTORS & TRANSFORMERS	Oil filled Transformers (Single/ Three Phase) from 25 kVA to 10MVA, 33kV Class	Induced AC Withstand Voltage Test (IVW)	IEC 60076 (Part 3/Clause 11.2)
93	ELECTRICAL- INDUCTORS & TRANSFORMERS	Oil filled Transformers (Single/ Three Phase) from 25 kVA to 10MVA, 33kV Class	Separate Source AC Withstand Voltage Test	IEC 60076 (Part 3/ (Clause 10)
94	ELECTRICAL- INDUCTORS & TRANSFORMERS	Oil filled Transformers (Single/ Three Phase) from 25 kVA to 10MVA, 33kV Class	Temperature Rise	IEC 60076 (Part 2/Clause 7.3)
95	ELECTRICAL- INDUCTORS & TRANSFORMERS	Oil filled Transformers (Single/ Three Phase) from 25 kVA to 55MVA, 220kV Class	Temperature Rise	IEC 60076 -2
96	ELECTRICAL- INDUCTORS & TRANSFORMERS	Oil filled Transformers (Single/ Three Phase) from 25 kVA to 10MVA, 33kV Class	Magnetizing Current in No Load Loss	IEC 60076 (Part 1/ Clause11.5)